



FREE BUCKET*

Lifting height 6.84 m Lifting capacity 3,000 kg Outreach 3.86 m DEUTZ 74.4 kW (101 Hp) Engine Varioshift **Transmission** 36 kph Speed



*Offer valid from 15 February 2017 to 30 April 2017 or until stock lasts. Free 2000 CBA (2m3) bucket with a purchase of an MVT 730 only



FINANCE RATE
3.99%*

TECHNICAL DATA	Lifting height	6.9 m
	Lifting capacity	3,200 kg
	Outreach	3.94 m
	Engine	PERKINS 70 kW (95 Hp)
	Transmission	Torque Converter
	Speed	32 kph

What are you waiting for?

Open up to SAFETY, PRODUCTIVITY and PROFIT with the Manitou MLT-X 732!

*Offer valid from 15 February 2017 to 30 April 2017 while stock lasts. Available only on MLT-X732 PREMIUM and to approved purchasers for chattel mortgage finance only on a 60 month term. Credit criteria, fees and terms and conditions apply. Finance provided by De Lage Landen Pty Limited ABN 20 101 692 040 to approved ABN holders and for business purposes only.






MANITOU telehandler



VS



TRACTOR with front end loader

MATERIAL HANDLING

GET THE RIGHT TOOL FOR THE RIGHT JOB!



YOU WOULDN'T DRIVE A SCREW WITH A HAMMER, RIGHT?

WHY DO THE SAME WITH YOUR MACHINERY?

MAKE THE CHANGE NOW!

Use a telehandler for your material handling needs and enjoy its versatiliy, performance and stability of a Manitou Telehandler!

CHECK OUT THE BENEFITS OF USING A MANITOU TELEHANDLER FOR YOUR MATERIAL HANDLING NEEDS ON MANITOU YOUTUBE CHANNEL!

» BETTER CAPACITY



» BETTER OUTREACH



BETTER LIFTING HEIGHT



MLT-X 840

TAKE YOUR HAY HANDLING TO THE NEXT LEVEL!





MAN'GO 12 AN ARTICULATED BOOM WITH A TWIST




The MAN'GO 12 aerial work platform is a new concept in access platforms, combining the benefits of both articulated and telescopic platforms. Originally designed for rental operators, it's also perfectly suited to professionals who need to work up to 12m.

Compact and suited for outdoor terrain, it can easily navigate in congested work sites and tight storage spaces. Once folded, its small chassis made it easy to store.




MAN'GO 12 USED IN SHADES BUILDING.



MAN'GO 12 HEAVY DUTY TELEHANDLER

Working height	11,9 m
Basket capacity	230 kg
Outreach	6,69 m
Engine	Kubota 19.4 kW (26.4Hp)
Weight	4,150 kg
Speed	5,2 kph





M-X 30-4 HEAVY DUTY TELEHANDLER

Lifting height	6 m
Lifting capacity	3,000 kg
Moves control	Hydro proportional levers
Engine	PERKINS 60 kW (95Hp)
Transmission	Torque converter
Speed	27 kph

AL 750

ARTICULATED LOADER



Engine power 55 kW (74.5 Hp) 1,685/1,790* kg **Rated Operating Capacity**









*Offer valid from 15 February 2017 to 30 April 2017 or until stock lasts. FREE bulk handling bucket and pallet fork with the purchase of a GEHL AL 750 only. Price does not include delivery. Pictures for illustration purpose only



SKID STEER LOADER



Engine power 35 kW (49 Hp)

Rated Operating Capacity 680 kg

Max. pin height 3,023 mm

Operating weight 2,690 kg

Overall width 1,605 mm













69Hp Yanmar Engine

52.1 kW (69.9 Hp) Engine power **Rated Operating Capacity** 748 kg Max. pin height 3,023 mm Operating weight 2,777 kg Overall width



1,605 mm











NEW MUSTANG RT SERIES TRACK LOADERS

The all-new 2500 NXT3 track loader from Mustang raises the bar with proven efficiency and performance. This track loader provides patented, industry-exclusive features sure to blaze a new trail in the track loader market.

- Fold-up doors
- IdealTrax™ Automatic Track Tensioning System
- · Diesel Engine Strength
- Productive Performance
- Spacious Cab Interior

Engine power	55.4 kW (74.3 Hp)
Rated Operating Capacity	3,240 kg
Max. pin height	3,251 mm
Operating weight	5,259 kg
Overall width	1,765 mm









CONTACT YOUR NEAREST DEALER NOW FOR MORE INFORMATION.





MANITOU.COM

AU.GEHL.COM

MUSTANGMFG.COM

MANITOU AUSTRALIA

94-96 Euston Road, Alexandria NSW 2015 Tel. 02 9517 3174 - info.mau@manitou-group.com